L Number	Hits	Search Text	DB	Time stamp
6	297	negative$1 same voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
7	16	(negative$1 same voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)) and 348/308.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 15:34
8	141	negative$1 near5 voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 15:42
9	84	(negative$1 near5 voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)) and camera$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 15:47
10	8	(negative$1 near5 voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)) and 250/208.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 15:47
11	65	negative$1 same voltage$1 near10 (reset$3) near5 (gate$1) and (APS or pixel$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:07
12	41	negative$1 near5 voltage$1 near10 (reset$3) near5 (gate$1) and (APS or pixel$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:11
14	2	("5191398" | "5289023").PN.	USPAT	2004/09/20 16:17
13	76	depress$3 near5 (reset$3) same (switch$3 or transistor$1) and (APS or pixel$1 or MOS or CMOS) same (sensor$1 or imag$3 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:20
15	71	depress$3 near4 (reset$3) same (switch$3 or transistor$1) and (APS or pixel$1 or MOS or CMOS) same (sensor$1 or imag$3 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
16	530	348/308.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
17	100	348/307.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
18	308	348/311.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
19	95	348/301.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
20	117	348/304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21

21	36	348/292.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
22	464	348/294.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
23	2322	250/208.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
24	529	257/239.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
25	545	257/291.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
26	606	257/292.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
27	0	250/208.1.ccls. and depression$1 near5 reset$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
28	0	250/208.1.ccls. and depression$1 same (transistor$1) same reset$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:23
29	11	depression$1 same (transistor$1) same reset$3 and (APS or pixel$1 or CMOS or MOS or photodiode$1) same (sensor$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:25
30	68	depression$1 same (transistor$1 or switch$2) same reset$3 and (APS or pixel$1 or CMOS or MOS or photodiode$1) same (sensor$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:27
31	10	depression$1 same reset$3 same (APS or pixel$1 or CMOS or MOS or photodiode$1) and (sensor$1 or camera$1) same (image$1 or picture$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:29
32	14	depression$1 same reset$3 same (APS or pixel$1 or CMOS or MOS or photodiode$1) and (sensor$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:29
33	156	depression$1 same (APS or pixel$1 or CMOS or MOS or photodiode$1) and (sensor$1 or camera$1) and reset$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:29
34	38	(depression$1 same (APS or pixel$1 or CMOS or MOS or photodiode$1) and (sensor$1 or camera$1) and reset$3) and depression$1 same (type$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:31

35	25	reset$3 same depression$1 adj1 (type$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:34
36	26	reset$3 same depression$1 adj1 (type$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:36
37	27	reset$3 same depression$1 adj1 (type$1 or transistor$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:42
38	33	reset$3 near10 depression$1 same (MOS or CMOS or transistor$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:52
39	175	reset$3 same depression$1 same (MOS or CMOS or transistor$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:52

L Number	Hits	Search Text	DB	Time stamp
6	297	negative$1 same voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
7	16	(negative$1 same voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)) and 348/308.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 15:34
8	141	negative$1 near5 voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 15:42
9	84	(negative$1 near5 voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)) and camera$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 15:47
10	8	(negative$1 near5 voltage$1 same (appli$3 or suppl$3) same (reset$3) same (transist$3 or switch$1) and (APS or pixel$1 or camera$1)) and 250/208.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 15:47
11	65	negative$1 same voltage$1 near10 (reset$3) near5 (gate$1) and (APS or pixel$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:07
12	41	negative$1 near5 voltage$1 near10 (reset$3) near5 (gate$1) and (APS or pixel$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:11
14	2	("5191398" | "5289023").PN.	USPAT	2004/09/20 16:17
13	76	depress$3 near5 (reset$3) same (switch$3 or transistor$1) and (APS or pixel$1 or MOS or CMOS) same (sensor$1 or imag$3 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:20
15	71	depress$3 near4 (reset$3) same (switch$3 or transistor$1) and (APS or pixel$1 or MOS or CMOS) same (sensor$1 or imag$3 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
16	530	348/308.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
17	100	348/307.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
18	308	348/311.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
19	95	348/301.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
20	117	348/304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21

21	36	348/292.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
22	464	348/294.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:21
23	2322	250/208.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
24	529	257/239.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
25	545	257/291.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
26	606	257/292.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
27	0	250/208.1.ccls. and depression$1 near5 reset$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:22
28	0	250/208.1.ccls. and depression$1 same (transistor$1) same reset$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:23
29	11	depression$1 same (transistor$1) same reset$3 and (APS or pixel$1 or CMOS or MOS or photodiode$1) same (sensor$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:25
30	68	depression$1 same (transistor$1 or switch$2) same reset$3 and (APS or pixel$1 or CMOS or MOS or photodiode$1) same (sensor$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:27
31	10	depression$1 same reset$3 same (APS or pixel$1 or CMOS or MOS or photodiode$1) and (sensor$1 or camera$1) same (image$1 or picture$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:29
32	14	depression$1 same reset$3 same (APS or pixel$1 or CMOS or MOS or photodiode$1) and (sensor$1 or camera$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:29
33	156	depression$1 same (APS or pixel$1 or CMOS or MOS or photodiode$1) and (sensor$1 or camera$1) and reset$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:29
34	38	(depression$1 same (APS or pixel$1 or CMOS or MOS or photodiode$1) and (sensor$1 or camera$1) and reset$3) and depression$1 same (type$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:31

35	25	reset$3 same depression$1 adj1 (type$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:34
36	26	reset$3 same depression$1 adj1 (type$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:36
37	27	reset$3 same depression$1 adj1 (type$1 or transistor$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:42
38	33	reset$3 near10 depression$1 same (MOS or CMOS or transistor$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 16:52
39	175	reset$3 same depression$1 same (MOS or CMOS or transistor$1) and (pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:48
40	571	reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:04
41	0	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/308.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:50
42	1	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 250/208.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:50
43	1	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 257/239.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:50
44	13	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 257/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:52
45	16	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 250/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:53
46	28	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:53
47	45	reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:03
48	64	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and (MOS or CMOS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:58

49	1	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and (active)near1 (pixel$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:59
50	224	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and (camera)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:59
51	137	((reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and (camera)) and transistor$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 17:59
52	36	(reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and pixel$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:02
53	53	reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:03
54	3322	reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:06
55	2	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/308.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:05
56	0	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/307.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:05
57	2	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/311.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:08
58	61	reset$3 same depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1) and (solid$1 adj1 state$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:08
60	1	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/301.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:10
59	28	reset$3 and depression$1 near5 (transistor$1) same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1) and (solid$1 adj1 state$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:09
61	1	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/304.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:15
62	0	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/292.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:11

63	1	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/294.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:11
64	6	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 250/208.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:13
65	2	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 257/239.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:13
66	0	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 348/292.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:15
67	5	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 257/291.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:15
68	2	(reset$3 and depression$1 same (MOS or CMOS or transistor$1 or pixel$ or sensor$1 or camera$1 or CMOS or MOS or photodiode$1 or photosensor$1 or photoelectric$1)) and 257/292.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:15